

comprising:

- N 2
- a) accepting an estimated time of travel from a starting location to a destination;
  - b) determining a hypothetical route from the starting location to the destination;
  - c) graphically displaying the starting location, the destination and the hypothetical route connecting the starting location to the destination;
  - d) calculating a current position along the hypothetical route; and
  - e) displaying a graphical symbol representative of a vehicle at the current position along the hypothetical route.

---

Please add new Claims 19-31 as follows:

---

19. (NEW) A toy travel clock comprising:
- an input device configured to accept an estimated time of travel between a starting location and a destination; and
  - an output device configured to display an indication of an estimated distance traveled.
- N 3
20. (NEW) The toy travel clock recited in Claim 19, wherein the output device is configured to graphically display the starting location, the destination, a hypothetical route connecting the starting location to the destination, and the indication of the distance traveled along the hypothetical route.
21. (NEW) The toy travel clock recited in Claim 20, wherein the input device is configured to accept a mode of transportation and the output device is configured to display a graphical representation of the mode of transportation as the indication of the distance traveled.
22. (NEW) The toy travel clock recited in Claim 19, wherein the estimated distance traveled is determined by calculating a time traveled by determining a difference between a start time

and a current time, and dividing the time traveled by the estimated time of travel between the starting location and the destination to determine a fraction of time traveled that is equal to the estimated distance traveled.

23. (NEW) The toy travel clock recited in Claim 19, further comprising a storage module that stores at least one known destination having an associated known total distance and wherein the input device is configured to accept a respective known destination.

24. (NEW) The toy travel clock recited in Claim 23, wherein the known destination is associated with a stored known estimated time of travel between the known starting location and the known destination.

25. (NEW) The toy travel clock recited in Claim 19, further comprising a clock display indicating a current time.

26. (NEW) The toy travel clock recited in Claim 19, wherein the travel clock is a stand-alone device.

27. (NEW) The toy travel clock recited in Claim 19, wherein the travel clock is coupled to a gaming device display.

28. (NEW) The toy travel clock recited in Claim 19, wherein the travel clock is coupled to a navigation system display.

29. (NEW) The toy travel clock recited in Claim 19, wherein the travel clock is coupled to a video tape player display.

30. (NEW) The toy travel clock recited in Claim 19, further comprising an audio output device.

31. (NEW) The toy travel clock recited in Claim 30, wherein the audio output device

outputs preprogrammed stories at designated times based on the estimated time of travel between the starting location and the destination.

13